

2021

NEW

Ola / Pik / Flo / Noa
Kobo / Art / Ross / Flag
Tok / Line / Tag / Pin / Fix
Stile Next / Koi / Trend
Ago / Inc / Cnc / Tnc / Rnc

QUICK
VIEW

Lights for everyday life.

LOMBARDO



NEWS




OLA




FLAG



CNC 99



TNC



RNC



TOK Q

FLAG



220-240 V
Alimentazione
diretta



IP66
Outdoor e
waterproof



CATAFORESI



Anni di garanzia
sul circuito LED

Flag 330

NEW

DIFF. VETRO

POSITION

IP 66 IK 07 2J xx5 C€

LED

W

LM

REAL LM

COL.

CODE * *

€

* OPTIC

* LED COLOUR

A++

19

2850

Max1980

220-240 V

LL14000W

LL14000G

LL14000E

LL14000K

149,00

149,00

149,00

149,00

S

W

A

D

Spot-25°

Wide

Asymm.

Diff.

N

3

2

4000K

3000K, lm -5%

2700K, lm -5%

68

2.68"

68

2.68"

330

13"

1

Flag 330 Post

NEW

DIFF. VETRO

POSITION

IP 66 IK 07 2J xx5 C€

LED

W

LM

REAL LM

COL.

CODE * *

€

* OPTIC

* LED COLOUR

A++

19

2850

Max1980

220-240 V

LL14030W

LL14030G

LL14030E

LL14030K

175,00

175,00

175,00

175,00

S

W

A

D

Spot-25°

Wide

Asymm.

Diff.

N

3

2

4000K

3000K, lm -5%

2700K, lm -5%

68

2.68"

68

2.68"

330

13.3"

1

OLA




IP66
Outdoor e
waterproof

DIMMERABILE

Anni di garanzia
sul circuito LED

Ola 330		NEW		DIFF. POLIGLASS	POSITION	
IP 66 IK 08 5J xx7 C€						
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++	20	2500	☒ 220-240 V		LL144000	65,00 N 4000K 3 3000K, lm -5% 2 2700K, lm -5%

Ola 500		NEW		DIFF. POLIGLASS	POSITION	
IP66 IK 08 5J xx7 C€						
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++	42	5500	☒ 220-240 V		LL144010	119,00
				N 4000K 3 3000K, lm -5% 2 2700K, lm -5%		



TOK Q



IP66
Outdoor e
waterproof



220-240 V
Alimentazione
diretta



CATAFORESI



PRE-CABLATO



Anni di garanzia
sul circuito LED

TOK Q H400

NEW

DIFF. TRASP.

POSITION

IP66 IK 10 20J xx9 C€

LED

W

LM

REAL LM

COL.

CODE *

€

* LED COLOUR

A++

14

1920

630

220-240 V

LL12813W

175,00

N

3

2

4000K

3000K, lm -5%

2700K, lm -5%

110

4.38"

110

4.38"

319

12.12"


81

3.14"

400

15.74"

1

TOK Q H700				 	DIFF. TRASP.	POSITION		
IP 66 IK 10 20J xx9 C€								
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR	
A++	14	1920	630	  220-240 V	 LL12816W	205,00	 4000K	
					 LL12816G	205,00	 3000K, lm -5%	
					 LL12816E	205,00	 2700K, lm -5%	
					 LL12816K	205,00		



CNC 99



IP67
Outdoor e
waterproof





ACQUASTOP





PRE-CABLATO



Anni di garanzia
sul circuito LED

CNC 99 C4L				 		DIFF. TRASP.		POSITION 			
IP 67 IK 10 20J xx9   500  55° MAX											
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR				
A++	5	450	200	 		LL137020□	229,00	 4000K			
						LL13702W□	189,00	 3000K, lm -5%			
						LL13702G□	189,00	 Blue			
						LL13702E□	189,00				
						LL13702K□	189,00				

CNC 99 C180				 		DIFF. TRASP.		POSITION 			
IP 67 IK 10 20J xx9   500  55° MAX											
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR				
A++	5	450	93	 	 LL137030□	229,00	 4000K				
					 LL13703W□	189,00	 3000K, lm -5%				
					 LL13703G□	189,00	 2700K, lm -5%				
					 LL13703E□	189,00					
					 LL13703K□	189,00					

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX

 500  55° MAX





5
5 years warranty
Garantie de 5 ans

Anni di garanzia
sul circuito LED



5
5 years warranty
Garantie de 5 ans

Anni di garanzia
sul circuito LED



PIK



IP65
Outdoor e
waterproof

ANODIZZAZIONE

Anni di garanzia
sul circuito LED

Pik 80 H 250

NEW

DIFF. POLIGLASS

POSITION

IP65 IK 08 5J xx7 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++	4,5	520	245	220-240 V	LL135000	129,00	4000K 3000K, lm -5% 2700K, lm -5%
					LL135001	129,00	
					LL135002	129,00	
					LL135003	129,00	
A++	4.5	520	245	24V	LT135000	135,00	
					LT135001	135,00	
					LT135002	135,00	
					LT135003	135,00	

Pik 160 H 500

NEW

DIFF. POLIGLASS

POSITION

IP65 IK 08 5J xx7 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++	9	1035	780	220-240 V	LL135104 LL135105 LL135106 LL135107	209,00 209,00 209,00 209,00	N 4000K 3 3000K, lm -5% 2 2700K, lm -5%
A++	9	1035	780	24V	LT135104 LT135105 LT135106 LT135107	215,00 215,00 215,00 215,00	

24V



AGO BOLLARD



IP66
Outdoor e
waterproof

ANODIZZAZIONE Anni di garanzia
sul circuito LED

<

Ago Bollard H600 2L				NEW 		DIFF. TRASP.		POSITION 		ø 58 ø 2 1/4" 80 3 1/8" 600 23 5/8" 	
IP66 IK 07 2J xx5 C€											
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR				
A++	10	1100	540	 220-240 V	LL126303	209,00	N 4000K				
					LL126304	209,00	3 3000K, lm -5%				
					LL126305	209,00	2 2700K, lm -5%				
A++	10 24V	1100	540		LT126303	215,00					
					LT126304	215,00					
					LT126305	215,00					

1





AGO APPLIQUE



IP66
Outdoor e
waterproof

ANODIZZAZIONE Anni di garanzia
sul circuito LED


Ago Applique

NEW



DIFF. TRASP.

POSITION



IP66 IK 07 2J xx5 C€

LED	W	LM	REAL LM	COL.	CODE **	€	* OPTIC	* LED COLOUR
A++	5	600	497		LL126200□□ LL126201□□ LL126202□□ LL126203□□	99,00 99,00 99,00 99,00	D Diff. S 25° M 40° L 65°	N 4000K 3 3000K, lm -5% 2 2700K, lm -5%

220-240 V

95

3 3/4"

74

2 7/8"

134

5 1/4"

50

2"

4

<



FLO



Anni di garanzia
sul circuito LED

Flo Q 300

NEW

DIFF.
OPAL.

POSITION

IP 20 IK 06 1J xx3C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL134004□	129,00	N 4000K
	30	2800	2169		LL134005□	129,00	3 3000K, lm -5%
					LL134006□	129,00	2 2700K, lm -5%
					LL134007□	129,00	

⊕

✓

 220-240 V

1

Flo T 300

NEW

DIFF.
OPAL.

POSITION

IP 20 IK 06 1J xx3C€


LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL134016□	129,00	N 4000K
	30	2800	2136		LL134017□	129,00	3 3000K, lm -5%
					LL134018□	129,00	2 2700K, lm -5%
					LL134019□	129,00	

⊕

✓

 220-240 V

1



Noa 50

NEW

DIFF. TRASP.

POSITION

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE **	€	* OPTIC	* LED COLOUR
A++					LL133000	99,00	D Diff.	N 4000K
	9	1000	750		LL133001	99,00	S 25°	3 3000K, lm -5%
					LL133002	99,00	M 40°	2 2700K, lm -5%
					LL133003	99,00	L 60°	
					LL133004	99,00		

Noa 50 Wall

NEW

DIFF. TRASP.

POSITION

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE **	€	* OPTIC	* LED COLOUR
A++					LL133020	89,00	D Diff.	N 4000K
	9	1000	750		LL133021	89,00	S 25°	3 3000K, lm -5%
					LL133022	89,00	M 40°	2 2700K, lm -5%
					LL133023	89,00	L 60°	
					LL133024	89,00		

Noa 50 Top

NEW

DIFF. TRASP.

POSITION

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE **	€	* OPTIC	* LED COLOUR
A++					LL133040	79,00	D Diff.	N 4000K
	9	1000	750		LL133041	79,00	S 25°	3 3000K, lm -5%
					LL133042	79,00	M 40°	2 2700K, lm -5%
					LL133043	79,00	L 60°	



KOBO 110

APPLICABILE
DIRETTAMENTE
SU CASSETTA DI
DERIVAZIONE
STAGNA
CON VITI *

100 X
100 X
50

LED
AC DIRECT
220-240 V


IP
66
LM
70 1000


IP66
Outdoor e
waterproof

5 years warranty
Garantie de 5 ans


Anni di garanzia
sul circuito LED

Kobo 110		DIFF. POLIGLASS		DIFF. SEMITRASP.		POSITION	
IP 66 IK 08 5J xx7 C€							
LED	W	LM	REAL LM	COL.	CODE *	CODE *	€ * LED COLOUR
A++	8	1000	570 - 700	220-240 V	LL130000	LL130001	39,00
				4000K 3000K, lm -5% 2700K, lm -5%			




Kobo 110 BK			DIFF. SEMITRASP.		POSITION 		 110 4 3/8" 110 4 3/8" 7 9/16"
IP 66 IK 08 5J xx7 C€							
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR	
A++	8	1000	130		LL130002 	45,00	N 4000K 3 3000K, lm -5% 2 2700K, lm -5%






Kobo 110 Code				DIFF. POLIGLASS		POSITION	
IP 66 IK 08 5J xx7 C E							
LED		W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++							
8		1000	☐ ☒ 220-240 V			LL130004	65,00
						LL130005	65,00
						LL130006	65,00
						LL130007	65,00
						LL130008	65,00







DISPONIBILI BOX DI
DERIVAZIONE.



ART




220-240 V
Alimentazione
diretta



IP66
Outdoor e
waterproof



Anni di garanzia
sul circuito LED

Art 100				DIFF. POLIGLASS	POSITION 			
IP 66 IK 10 20J xx9 C €								
LED	W	LM	REAL LM				COL.	CODE *
A++	10	1100	802	 220-240 V		LL116000 	50,50	 4000K  3000K, lm -5%  2700K, lm -5%

Art 100 Top		DIFF. POLIGLASS		POSITION 					
IP66 IK 10 20J xx9 C€									
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR		
A++	10	1100	484		220-240 V		LL116001	58,50	4000K 3000K, lm -5% 2700K, lm -5%
					LL116002	58,50	LL116003	58,50	
					LL116004	58,50	LL116005	58,50	

COVER PERSONALIZZATE.



ART

Art 250		DIFF. POLIGLASS	POSITION				
IP 66 IK 10 20J xx9 C€							
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++	20	2200	1656	220-240 V	LL116100	72,00	N 4000K 3 3000K, lm -5% 2 2700K, lm -5%

Art 250 Mask

IP66 IK 10 20J xx9 C€

DIFF. POLIGLASS

POSITION

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL116101	88,50	N 4000K
	17	2040	1296		LL116102	88,50	3 3000K, lm -5%
					LL116103	88,50	2 2700K, lm -5%
					LL116104	88,50	
					LL116105	88,50	

COVER PERSONALIZZATE.



ROSS



220-240 V
Alimentazione
diretta




IP66
Outdoor e
waterproof




Anni di garanzia
sul circuito LED

Ross 280				DIFF. POLIGLASS	POSITION	
IP 66 IK 10 20J xx9 C€						
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++					LL124000	65,00 N 4000K
					LL124001	65,00 3 3000K, lm -5%
					LL124002	65,00 2 2700K, lm -5%
					LL124003	65,00
					LL124004	65,00
13	1560	895	  220-240 V			



 4

Ross 330				DIFF. POLIGLASS	POSITION 	
IP 66 IK 10 20J xx9 C€						
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++					LL124010 	86,00  4000K
					LL124011 	86,00  3000K, lm -5%
					LL124012 	86,00  2700K, lm -5%
					LL124013 	86,00
					LL124014 	86,00
	25	3000	1842	  220-240 V		



TOK



220-240 V
Alimentazione diretta



IP66
Outdoor e waterproof



CATAFORESI



Anni di garanzia sul circuito LED

Tok H400




360°

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL128032	169,00	N 4000K
	14	1860	650		LL128009	169,00	3 3000K, lm -5%
					LL128010	169,00	2 2700K, lm -5%
					LL128011	169,00	

DIFF. TRASP.

POSITION





Tok C H400




180°

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL128033	169,00	N 4000K
	8	930	200		LL128006	169,00	3 3000K, lm -5%
					LL128007	169,00	2 2700K, lm -5%
					LL128008	169,00	

DIFF. TRASP.

POSITION







LINE





220-240 V
Alimentazione
diretta




IP66
Outdoor e
waterproof



Anni di garanzia
sul circuito LED

Line				DIFF. POLIGLASS	POSITION 	
IP66 IK 08 5J xx7 C€						
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++	6,5	700	604			220-240 V
					LL113000	89,00

Line 330				DIFF. POLIGLASS	POSITION 	
IP66 IK 10 20J xx9 C€						
LED	W	LM	REAL LM	COL.	CODE *	€ * LED COLOUR
A++	25	3000	2144			220-240 V
					LL113200	157,00
					LL113201	157,00
					LL113202	157,00
					LL113203	157,00
A++	25	3000	2144			220-240 V
					LL113205	199,00
					LL113206	199,00
					LL113207	199,00
					LL113208	199,00

 **Disponibile versione corridor function.**
Funzione a risparmio energetico che permette di configurare un profilo di illuminazione su due livelli. Il prodotto funziona costantemente ad un'intensità luminosa ridotta, raggiungendo la massima efficienza al passaggio, tramite un sensore di prossimità.



TAG



220-240 V
Alimentazione
diretta



IP66
Outdoor e
waterproof



Anni di garanzia
sul circuito LED

Tag 110

DIFF. TRASP.

POSITION

IP 66 IK 06 1J xx3 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL115000	55,00	N 4000K
	10	1200	672		LL115001	55,00	3 3000K, lm -5%
					LL115002	55,00	2 2700K, lm -5%
					LL115003	55,00	

220-240 V

Tag 210
asimmetrico

DIFF. TRASP.

POSITION


IP 66 IK 06 1J xx3 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL115104	112,00	N 4000K
	25	3500	2386		LL115105	112,00	3 3000K, lm -5%
					LL115106	112,00	2 2700K, lm -5%
					LL115107	112,00	

220-240 V




KIT PIN




IP66
Outdoor e
waterproof

CATAFORESI Anni di garanzia
sul circuito LED

Kit 03 - Pin Q		DIFF. TRASP.		POSITION	
IP66 IK 07 2J xx5 C€					
LED	W	LM	REAL LM	COL.	CODE *
A++					€
	2	200	56	220-240 V	LL125108 49,00
				S	LL125109 49,00
				S	LL125110 49,00
				S	LL125111 49,00
				* LED COLOUR	
				N 4000K	
				3 3000K, lm -5%	
				2 2700K, lm -5%	



Kit 04 - Pin Q Asimmetrico		DIFF. TRASP.		POSITION	
IP66 IK 07 2J xx5 C€					
LED	W	LM	REAL LM	COL.	CODE *
A++					€
	2	200	67	220-240 V	LL125112 49,00
				S	LL125113 49,00
				S	LL125114 49,00
				S	LL125115 49,00
				* LED COLOUR	
				N 4000K	
				3 3000K, lm -5%	
				2 2700K, lm -5%	



FIX



220-240 V
Alimentazione
diretta



IP66
Outdoor e
waterproof



Anni di garanzia
sul circuito LED

Fix 503				DIFF. VETRO	POSITION			
IP 66 IK 10 20J xx9 C€								
LED	W	LM	REAL LM		COL.	CODE *		€
A++	3,5	450	225	⊕	✓ 220-240 V	LL120000	69,00	N 4000K
						LL120001	69,00	3 3000K, lm -5%
						LL120002	69,00	2 2700K, lm -5%
						LL120003	69,00	

Fix 504				DIFF. VETRO	POSITION			
IP 66 IK 10 20J xx9 C€								
LED	W	LM	REAL LM		COL.	CODE *		€
A++	4,5	600	300	⊕	✓ 220-240 V	LL120004	85,00	N 4000K
						LL120005	85,00	3 3000K, lm -5%
						LL120006	85,00	2 2700K, lm -5%
						LL120007	85,00	

Fix 506				DIFF. VETRO	POSITION			
IP 66 IK 10 20J xx9 C€								
LED	W	LM	REAL LM		COL.	CODE *		€
A++	5,5	750	375	⊕	✓ 220-240 V	LL120008	99,00	N 4000K
						LL120009	99,00	3 3000K, lm -5%
						LL120010	99,00	2 2700K, lm -5%
						LL120011	99,00	



STILE NEXT





220-240 V
Alimentazione
diretta




IP66
Outdoor e
waterproof




Anni di garanzia
sul circuito LED

Stile next 503				DIFF. OPAL.		POSITION			
IP 66 IK 06 1J xx3 C€									
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR		
A++					LL641C□	79,00	N 4000K		
	3	310	68		S LL641C2□	79,00	3 3000K, lm -5%		
					S LL641CG□	79,00	2 2700K, lm -5%		
					S LL641CK□	79,00			





Stile next 503 asimmetrico				DIFF. TRASP.		POSITION		
IP 66 IK 06 1J xx3 C€								
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR	
A++					LL643C□	89,00	N 4000K	
	3	310	45		S LL643C2□	89,00	3 3000K, lm -5%	
					S LL643CG□	89,00	2 2700K, lm -5%	
					S LL643CK□	89,00		




Stile next 506L				DIFF. OPAL.		POSITION	
IP66 IK 06 1J xx3 C€							
LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL661D□	129,00	N 4000K
	6	720	217		S LL661D2□	129,00	3 3000K, lm -5%
					S LL661DG□	129,00	2 2700K, lm -5%
					S LL661DK□	129,00	

220-240 V

	S	LL661D□	129,00
	S	LL661D2□	129,00
	S	LL661DG□	129,00
	S	LL661DK□	129,00

N	4000K
3	3000K, lm -5%
2	2700K, lm -5%



KOI



220-240 V
Alimentazione
diretta



IP66
Outdoor e
waterproof



Anni di garanzia
sul circuito LED

Koi 110

DIFF.
VETRO

POSITION

IP 66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL121000□	77,00	N 4000K
	6	750	375		LL121001□	77,00	3 3000K, lm -5%
					LL121002□	77,00	2 2700K, lm -5%
					LL121003□	77,00	

Koi 220

DIFF.
VETRO

POSITION

IP 66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE *	€	* LED COLOUR
A++					LL121008□	108,00	N 4000K
	9	1300	650		LL121009□	108,00	3 3000K, lm -5%
					LL121010□	108,00	2 2700K, lm -5%
					LL121011□	108,00	



TREND



220-240 V
Alimentazione
diretta



IP66
Outdoor e
waterproof



Anni di garanzia
sul circuito LED

Trend Up&Down
110

DIFF.
POLIGLASS

DIFF.
TRASP.

POSITION

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE *	CODE *	€	* OPTIC	* LED COLOUR
A++					LL108008	LL108012	126,00	S 17°	N 4000K
	7	752	418 - 496		LL108009	LL108013	126,00	M 24°	3 3000K, lm -5%
					LL108011	LL108015	126,00	L 36°	
					LL108010	LL108014	126,00		

Trend Up&Down
220

DIFF.
POLIGLASS

DIFF.
TRASP.

POSITION

IP66 IK 10 20J xx9 C€

LED	W	LM	REAL LM	COL.	CODE *	CODE *	€	* OPTIC	* LED COLOUR
A++					LL4921	LL4951	157,00	S 8°	N 4000K
	15	2200	1260 - 2060		LL4926	LL4956	157,00	M 11°	3 3000K, lm -5%
					LL492E	LL495E	157,00	L 30°	
					LL492K	LL495K	157,00		

Trend U&D 60

DIFF.
DIFF.

DIFF.
TRASP.

POSITION

IP66 IK 07 2J xx5 C€

LED	W	LM	REAL LM	COL.	CODE *	CODE *	€	* LED COLOUR
A++					LL129100	LL129104	99,00	N 4000K
	6	1000	500-520		LL129101	LL129105	99,00	3 3000K, lm -5%
					LL129102	LL129106	99,00	2 2700K, lm -5%
					LL129103	LL129107	99,00	

COVER PERSONALIZZATE.



AGO



ANODIZZAZIONE


IP66
Outdoor e
waterproof

Anni di garanzia
sul circuito LED

Ago Garden

DIFF.
TRASP.

POSITION




IP66 IK 07 2J xx5 C€

LED	W	LM	REAL LM	COL.	CODE **	€	* OPTIC	* LED COLOUR
A++					LL126000	89,00	M 40°	N 4000K
	6	700	568		LL126001	89,00	L 65°	S 3000K, lm -5%
					LL126002	89,00	D Diff.	R 2700K, lm -5%
					LL126003	89,00		

Ago Wall

DIFF.
TRASP.

POSITION



IP66 IK 07 2J xx5 C€


LED	W	LM	REAL LM	COL.	CODE **	€	* OPTIC	* LED COLOUR
A++					LL126004	102,00	M 40°	N 4000K
	6	700	568		LL126005	102,00	L 65°	S 3000K, lm -5%
					LL126006	102,00	D Diff.	R 2700K, lm -5%
					LL126007	102,00		




CNC

25

CNC 25 T



CNC 25 Q



35


CNC 35 T




CNC 35 T Up




CNC 35 Q



CNC 35 Q Up




CNC 35 Top S



CNC 35 Top L



CNC 35 Mask



CNC 35 Swing



CNC 35 Swing Spot



50

CNC 50 T



CNC 50 T Up



CNC 50 Top L



CNC 50 TOP 2L



CNC 50 Swing



CNC 50 Swing Spot



CNC

99

CNC 99 CL



CNC 99 C2L



CNC 99 C4L



Finto incasso.
Surface mounted.
Faux encastré.

CNC 99 C180



CNC 99 C UP



100

CNC 100 L



CNC 100 2L



CNC 100 UP



Incasso.
Recessed.
À encastrer.

CNC 100 CL



CNC 100 C2L



CNC 100 C-UP



Finto incasso.
Surface mounted.
Faux encastré.

120

CNC 120 T



150

CNC 150



LOMBARDO



Lights for everyday life.

Lombardo Srl
Via Pizzigoni 3
24060 Villongo (BG), ITALY

T +39 035 939411
F +39 035 939496
info@lombardo.it

lombardo.it